


CLAIMS

1. A polypeptide compound of the following general formula :



wherein R^1 is lower alkanoyl substituted with

- unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);
- lower alkanoyl substituted with 1,2,3,4-tetrahydroisoquinoline which may have one or more suitable substituent(s);
- lower alkanoyl substituted with unsaturated condensed heterocyclic group containing at least one oxygen atom which may have one or more suitable substituent(s);
- lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s)

BEST AVAILABLE COPY

00242267 024400

*Sub
at*

which may have one or more suitable substituent(s);

→ lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atom(s) which may have one or more suitable substituent(s);

lower alkanoyl substituted with saturated 3 to 8 membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);

ar(lower)alkenoyl substituted with aryl which may have one or more suitable substituent(s);

naphthyl(lower)alkenoyl which may have one or more higher alkoxy;

lower alkynoyl which may have one or more suitable substituent(s);

(C₂-C₆)alkanoyl substituted with naphthyl having higher alkoxy;

ar(C₂-C₆)alkanoyl substituted with aryl having one or more suitable substituent(s), in which ar(C₂-C₆)-alkanoyl may have one or more suitable substituent(s);

aroyl substituted with heterocyclic group which may have one or more suitable substituent(s), in which aroyl may have one or more suitable substituent(s);

aroyl substituted with aryl having heterocyclic(higher)alkoxy, in which heterocyclic group may have one or more suitable substituent(s);

004493 04493

Sub
a.
cont

aroyl substituted with aryl having
lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having
lower alkenyl(lower)alkoxy;

aroyl substituted with 2 lower
alkoxy;

aroyl substituted with aryl having
lower alkyl;

aroyl substituted with aryl having
higher alkyl;

aryloxy(lower)alkanoyl which may have
one or more suitable substituent(s);

ar(lower)alkoxy(lower)alkanoyl which
may have one or more suitable
substituent(s);

arylamino(lower)alkanoyl which may
have one or more suitable
substituent(s);

lower alkanoyl substituted with
pyrazolyl which has lower alkyl and
aryl having higher alkoxy;

lower alkoxy(higher)alkanoyl, in
which higher alkanoyl may have one or
more suitable substituent(s);

aroyl substituted with aryl having
heterocyclicoxy, in which
heterocyclicoxy may have one or more
suitable substituent(s);

aroyl substituted with
cyclo(lower)alkyl having lower alkyl;
indolylcarbonyl having higher alkyl;
naphthoyl having lower alkyl;
naphthoyl having higher alkyl;
naphthoyl having lower
alkoxy(higher)alkoxy;

004436 09130

Sub
At
Cont.

aroyl substituted with aryl having
lower alkoxy(lower)alkoxy(higher)-
alkoxy;

5

aroyl substituted with aryl having
lower alkoxy(lower)alkoxy;

aroyl substituted with aryl which has
aryl having lower alkoxy;

aroyl substituted with aryl which has
aryl having lower alkoxy(lower)alkoxy;

10

aroyl substituted with aryl having
heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having
aryloxy(lower)alkoxy;

15

aroyl substituted with aryl having
heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with
oxazolyl which has aryl having higher
alkoxy;

20

lower alkanoyl substituted with furyl
which has aryl substituted with aryl
having lower alkoxy;

lower alkanoyl substituted with
triazolyl which has oxo and aryl having
higher alkyl;

25

higher alkanoyl having hydroxy;

higher alkanoyl having ar(lower)alkyl
and hydroxy;

3-methyl-tridecenoyl; or

30

(C₂-C₆)alkanoyl substituted with aryl
having higher alkoxy, in which (C₂-C₆)-
alkanoyl may have amino or protected
amino, and

a pharmaceutically acceptable salt thereof.

35

2. A compound of claim 1, wherein

004837 04499

Sub
Al
unit

Sub 20

25

30

5

naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have higher alkoxy, and oxo;

10

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo;

15

20

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atoms which may have 1 to 3 substituent(s) selected from the group containing of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo; or

25

30

35

lower alkanoyl substituted with saturated 3 to 8-membered heteromonocyclic group containing at least one nitrogen atom which may have 1 to 3

004896 021199

Sub
at
cont

substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, and oxo.

10

3. A compound of claim 1, wherein

R^1 is ar(lower)alkenoyl substituted with aryl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having lower alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy, lower alkoxy(higher)alkoxy, and oxo;

15

20

25

naphthyl(lower)alkenoyl which may have 1 to 3 higher alkoxy;

lower alkynoyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, higher alkoxy, lower alkyl, higher alkyl, higher alkoxy(lower)alkyl, phenyl having lower alkoxy, phenyl having higher alkoxy, naphthyl having lower alkoxy, naphthyl having higher alkoxy, phenyl having lower alkyl, phenyl having higher alkyl, naphthoyl having higher alkoxy, phenyl substituted with phenyl having

30

35

lower alkyl, and oxo;

5 ar(C₂-C₆)alkanoyl substituted with aryl having 1
to 3 substituent(s) selected from the group
consisting of lower alkoxy, higher alkoxy, lower
alkyl, higher alkyl, higher alkoxy(lower)alkyl,
phenyl having lower alkoxy, phenyl having higher
alkoxy, naphthyl having lower alkoxy, naphthyl
having higher alkoxy, phenyl having lower alkyl,
phenyl having higher alkyl, naphthoyl having
10 higher alkoxy, phenyl substituted with phenyl
having lower alkyl, phenyl having lower
alkoxy(lower)alkoxy, and oxo, in which ar(C₂-C₆)-
alkanoyl may have hydroxy, oxo, protected amino or
amino; or

15 (C₂-C₆)alkanoyl substituted with naphthyl having
higher alkoxy.

4. A compound of claim 1, wherein

20 R¹ is aroyl substituted with heterocyclic group which
may have 1 to 3 substituent(s) selected from the
group consisting of lower alkoxy, higher alkoxy,
lower alkyl, higher alkyl, higher
alkoxy(lower)alkyl, phenyl having lower alkoxy,
phenyl having higher alkoxy, naphthyl having lower
alkoxy, naphthyl having higher alkoxy, phenyl
having lower alkyl, phenyl having higher alkyl,
naphthoyl having higher alkoxy, phenyl substituted
with phenyl having lower alkyl, phenyl having
lower alkoxy(higher)alkoxy, phenyl having higher
30 alkenyloxy, heterocyclic group substituted with
phenyl having lower alkoxy, heterocyclic group,
cyclo(lower)alkyl having phenyl, phenyl having
cyclo(lower)alkyl, phenyl substituted with
heterocyclic group having lower alkyl and oxo,
35 cyclo(lower)alkyl having lower alkyl, phenyl

substituted with phenyl having lower alkoxy,
phenyl having heterocyclic group and oxo, in which
aroyl may have halogen;

aroyl substituted with aryl having
heterocyclic(higher)alkoxy, in which heterocyclic
group may have lower alkyl;

aroyl substituted with aryl having lower
alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkenyl(lower)alkoxy;

aroyl substituted with 2 lower alkoxy;

aroyl substituted with aryl having lower alkyl;

or

aroyl substituted with aryl having higher alkyl.

5. A compound of claim 1, wherein

R^1 is aryloxy(lower)alkanoyl which may have 1 to 3
substituent(s) selected from the group consisting
of lower alkoxy, higher alkoxy, lower alkyl,
higher alkyl, higher alkoxy(lower)alkyl, phenyl
having lower alkoxy, phenyl having higher alkoxy,
naphthyl having lower alkoxy, naphthyl having
higher alkoxy, phenyl having lower alkyl, phenyl
having higher alkyl, naphthoyl having higher
alkoxy, phenyl substituted with phenyl having
lower alkyl, and oxo;

ar(lower)alkoxy(lower)alkanoyl which may have 1
to 3 substituent(s) selected from the group
consisting of lower alkoxy, higher alkoxy, lower
alkyl, higher alkyl, higher alkoxy(lower)alkyl,
phenyl having lower alkoxy, phenyl having higher
alkoxy, naphthyl having lower alkoxy, naphthyl
having higher alkoxy, phenyl having lower alkyl,
phenyl having higher alkyl, naphthoyl having
higher alkoxy, phenyl substituted with phenyl

00448257 00448257

See
a2
cont

having lower alkyl, and oxo; or

arylamino(lower)alkanoyl which may have 1 to 3
substituent(s) selected from the group consisting
of lower alkoxy, higher alkoxy, lower alkyl,
higher alkyl, higher alkoxy(lower)alkyl, phenyl
having lower alkoxy, phenyl having higher alkoxy,
naphthyl having lower alkoxy, naphthyl having
higher alkoxy, phenyl having lower alkyl, phenyl
having higher alkyl, naphthoyl having higher
alkoxy, phenyl substituted with phenyl having
lower alkyl, and oxo.

6. A compound of claim 1, wherein

R^1 is lower alkanoyl substituted with pyrazolyl which
has lower alkyl and aryl having higher alkoxy;

lower alkoxy(higher)alkanoyl, in which higher
alkanoyl may have amino or protected amino;

aroyl substituted with aryl having
heterocyclicoxy, in which heterocyclicoxy may have
phenyl;

aroyl substituted with cyclo(lower)alkyl having
lower alkyl;

indolylcarbonyl having higher alkyl;

naphthoyl having lower alkyl;

naphthoyl having higher alkyl;

naphthoyl having lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkoxy(lower)alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower
alkoxy(lower)alkoxy;

aroyl substituted with aryl which has phenyl
having lower alkoxy;

aroyl substituted with aryl which has phenyl
having lower alkoxy(lower)alkoxy;

aroyl substituted with aryl having

00720 49284260

Sub
a2
ant

heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having
phenoxy(lower)alkoxy;

5

aroyl substituted with aryl having
heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with oxazolyl which
has aryl having higher alkoxy;

10

lower alkanoyl substituted with furyl which has
aryl substituted with phenyl having lower alkoxy;

lower alkanoyl substituted with triazolyl which
has oxo and phenyl having higher alkyl;

higher alkanoyl having hydroxy;

higher alkanoyl having benzyl and hydroxy;

3-methyl-tridecenoyl; or

15

(C₂-C₆)alkanoyl substituted with aryl having
higher alkoxy, in which (C₂-C₆)alkanoyl may have
amino or protected amino.

7. A compound of claim 2, wherein

20

R¹ is lower alkanoyl substituted with pyridyl or
pyridazinyl, each of which may have 1 to 3
substituent(s) selected from the group consisting
of higher alkoxy, higher alkoxy(lower)alkyl,
phenyl having higher alkoxy, phenyl substituted
with phenyl having lower alkoxy, piperazinyl
substituted with phenyl having higher alkoxy,
piperazinyl substituted with phenyl having lower
alkoxy(higher)alkoxy, and piperazinyl substituted
with phenyl having lower alkoxy;

25

30

lower alkanoyl substituted with 1,2,3,4-
tetrahydroisoquinoline having higher alkoxy and
lower alkoxy carbonyl;

35

lower alkanoyl substituted with coumarin which
may have 1 to 3 substituent(s) selected from the
group consisting of higher alkoxy, and oxo;

00440 2387200

put
a 2
cont

lower alkanoyl substituted with benzothiophenyl which may have 1 to 3 higher alkoxy;

lower alkanoyl substituted with benzo[b]furanyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkoxy and lower alkyl;

lower alkanoyl substituted with benzooxazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, phenyl having lower alkoxy, phenyl substituted with phenyl having lower alkyl, and pyridyl having higher alkoxy;

lower alkanoyl substituted with benzimidazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, and phenyl having lower alkoxy; or

lower alkanoyl substituted with piperidyl or piperazinyl, each of which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having higher alkoxy, and naphthoyl having higher alkoxy.

8. A compound of claim 3, wherein

R^1 is phenyl(lower)alkenoyl substituted with phenyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, lower alkyl, higher alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy, and lower alkoxy(higher)alkoxy;

naphthyl(lower)alkenoyl which may have 1 to 3 higher alkoxy;

lower alkynoyl which may have 1 to 3 substituent(s) selected from the group consisting of naphthyl having higher alkoxy, and phenyl

substituted with phenyl having lower alkyl;

phenyl(C₂-C₆)alkanoyl substituted with phenyl
which has 1 to 3 substituent(s) selected from the
group consisting of lower alkoxy, higher alkoxy,
lower alkyl, higher alkyl, and phenyl having lower
alkoxy(lower)alkyl,

in which phenyl(C₂-C₆)alkanoyl may have hydroxy,
oxo, protected amino or amino; or

(C₂-C₆)alkanoyl substituted with naphthyl having
higher alkoxy.

9. A compound of claim 4, wherein

R¹ is benzoyl substituted with saturated 6-membered
heteromonocyclic group containing at least one
nitrogen atom which may have 1 to 3 substituent(s)
selected from the group consisting of phenyl
having lower alkoxy, phenyl having higher alkoxy,
phenyl having lower alkyl, phenyl having lower
alkoxy(higher)alkoxy, phenyl having higher
alkenyloxy, piperidyl substituted with phenyl
having lower alkoxy, piperidyl, cyclo(lower)alkyl
having phenyl, phenyl having cyclo(lower)alkyl,
and phenyl substituted with triazolyl having oxo
and lower alkyl,

in which benzoyl may have halogen;

benzoyl substituted with unsaturated 5-membered
heteromonocyclic group containing 1 to 2 oxygen
atom(s) and 1 to 3 nitrogen atom(s) which may have
1 to 3 substituent(s) selected from the group
consisting of higher alkyl, phenyl having lower
alkoxy, phenyl having higher alkoxy, phenyl having
lower alkoxy(higher)alkoxy, and phenyl substituted
with phenyl having lower alkoxy;

benzoyl substituted with 5 or 6-membered
heteromonocyclic group containing 1 or 2 nitrogen

atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl and phenyl having lower alkoxy;

5 benzoyl substituted with 5-membered heteromonocyclic group containing 1 to 2 nitrogen atom(s) and 1 to 2 sulfur atom(s) which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, cyclo(lower)alkyl having lower alkyl, phenyl substituted with phenyl having lower alkoxy, phenyl having cyclo(lower)alkyl, phenyl having piperidine, and phenyl having lower alkoxy(higher)alkoxy;

15 benzoyl substituted with phenyl having higher alkoxy substituted with unsaturated 3 to 8-membered heteromonocyclic group containing at least one nitrogen atom;

20 benzoyl substituted with phenyl having higher alkoxy substituted with saturated 6-membered heteromonocyclic group containing 1 to 2 oxygen atom(s) and 1 to 3 nitrogen atom(s) which may have lower alkyl;

benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy;

benzoyl substituted with phenyl having lower alkenyl(lower)alkoxy;

benzoyl substituted with 2 lower alkoxy;

benzoyl substituted with phenyl having lower alkyl; or

30 benzoyl substituted with phenyl having higher alkyl.

10. A compound of claim 5, wherein

35 R^1 is phenyloxy(lower)alkanoyl which may have 1 to 3 higher alkoxy;

007207920000

Sub
a3

Sub
a3
cont

phenyl(lower)alkoxy(lower)alkanoyl which may have 1 to 3 higher alkoxy; or
phenylamino(lower)alkanoyl which may have 1 to 3 higher alkoxy.

5

11. A compound of claim 1, wherein

R¹ is benzoyl substituted with piperazinyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, phenyl having lower alkyl, phenyl having lower alkoxy(higher)alkoxy, phenyl having higher alkenyloxy, piperidyl substituted with phenyl having lower alkoxy, cyclo(lower)alkyl having phenyl, phenyl having cyclo(lower)alkyl, and phenyl substituted with triazolyl having oxo and lower alkyl, in which benzoyl may have halogen;

benzoyl substituted with isoxazolyl which may have 1 to 3 substituent(s) selected from the group consisting of higher alkyl, ~~phenyl having lower alkoxy~~, phenyl having higher alkoxy, phenyl having lower alkoxy(higher)alkoxy, and phenyl substituted with phenyl having lower alkoxy;

benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy;

benzoyl substituted with phenyl having lower alkyl;

benzoyl substituted with phenyl having higher alkyl;

phenyl(lower)alkenoyl substituted with phenyl which may have 1 to 3 substituent(s) selected from the group consisting of lower alkoxy, lower alkyl, higher alkyl, lower alkoxy(lower)alkyl, halo(lower)alkoxy, lower alkenyloxy, halo(higher)alkoxy and lower alkoxy(higher)alkoxy;

255

benzoyl substituted with thiadiazolyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, cyclo(lower)alkyl having lower alkyl, phenyl substituted with phenyl having lower alkoxy, phenyl having cyclo(lower)alkyl, phenyl having piperidyl, and phenyl having lower alkoxy(higher)alkoxy; or

benzoyl substituted with oxadiazolyl which may have 1 to 3 substituent(s) selected from the group consisting of phenyl having lower alkoxy, phenyl having higher alkoxy, phenyl having lower alkoxy(higher)alkoxy, higher alkyl and phenyl substituted with phenyl having lower alkoxy.

12. A compound of claim 11, wherein

R^1 is benzoyl substituted with phenyl having lower alkoxy(higher)alkoxy; or

benzoyl substituted with phenyl having lower alkyl.

13. A compound of claim 11, wherein

R^1 is benzoyl substituted with piperazinyl which may have phenyl having lower alkoxy;

benzoyl substituted with isoxazolyl which may have phenyl having lower alkoxy;

benzoyl substituted with thiadiazolyl which may have phenyl having lower alkoxy(higher)alkoxy; or


benzoyl substituted with oxadiazolyl which may have phenyl having lower alkoxy.

14. A compound of claim 11, wherein

R^1 is phenyl(lower)alkenoyl substituted with phenyl which may have lower alkoxy.

Sol
A4

15. A process for the preparation of a polypeptide compound of the formula [I] :



wherein

R^1 is lower alkanoyl substituted with unsaturated 6-membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);

lower alkanoyl substituted with 1,2,3,4-tetrahydro-isoquinoline having higher alkoxy;

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing at least one oxygen atom which may have one or more suitable substituent(s);

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 1 to 3 sulfur atom(s) which may have one or more suitable substituent(s);

lower alkanoyl substituted with unsaturated condensed heterocyclic group containing 2 or more nitrogen atom(s) which may have one or more suitable substituent(s);

00760 298460

Sub
A5

lower alkanoyl substituted with saturated 3 to 8-membered heteromonocyclic group containing at least one nitrogen atom which may have one or more suitable substituent(s);

5 ar(lower)alkenoyl substituted with aryl which may have one or more suitable substituent(s);

naphthyl(lower)alkenoyl which may have one or more higher alkoxy;

10 lower alkynoyl which may have one or more suitable substituent(s);

(C₂-C₆)alkanoyl substituted with naphthyl having higher alkoxy;

15 ar(C₂-C₆)alkanoyl substituted with aryl having one or more suitable substituent(s), in which ar(C₂-C₆)alkanoyl may have one or more suitable substituent(s);

20 aroyl substituted with heterocyclic group which may have one or more suitable substituent(s), in which aroyl may have one or more suitable substituent(s);

25 aroyl substituted with aryl having heterocyclic(higher)alkoxy, in which heterocyclic group may have one or more suitable substituent(s);

30 aroyl substituted with aryl having lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower alkenyl(lower)alkoxy;

aroyl substituted with 2 lower alkoxy;

35 aroyl substituted with aryl having lower alkyl;

aroyl substituted with aryl having higher alkyl;

aryloxy(lower)alkanoyl which may have one or more suitable substituent(s);

35 ar(lower)alkoxy(lower)alkanoyl which may have one or more suitable substituent(s);

004337 004400

Sub
a5
cont

arylamino(lower)alkanoyl which may have one or more suitable substituent(s);

lower alkanoyl substituted with pyrazolyl which has lower alkyl and aryl having higher alkoxy;

5 lower alkoxy(higher)alkanoyl, in which higher alkanoyl may have one or more suitable substituent(s);

10 aroyl substituted with aryl having heterocyclicoxy, in which heterocyclicoxy may have one or more suitable substituent(s);

aroyl substituted with cyclo(lower)alkyl having lower alkyl;

indolylcarbonyl having higher alkyl;

naphthoyl having lower alkyl;

15 naphthoyl having higher alkyl;

naphthoyl having lower alkoxy(higher)alkoxy;

aroyl substituted with aryl having lower alkoxy(lower)alkoxy(higher)alkoxy;

20 aroyl substituted with aryl having lower alkoxy(lower)alkoxy;

aroyl substituted with aryl which has aryl having lower alkoxy;

aroyl substituted with aryl which has aryl having lower alkoxy(lower)alkoxy;

25 aroyl substituted with aryl having heterocyclicoxy(higher)alkoxy;

aroyl substituted with aryl having aryloxy(lower)alkoxy;

30 aroyl substituted with aryl having heterocycliccarbonyl(higher)alkoxy;

lower alkanoyl substituted with oxazolyl which has aryl having higher alkoxy;

lower alkanoyl substituted with furyl which has aryl substituted with aryl having lower alkoxy;

35 lower alkanoyl substituted with triazolyl which

00720 29284360


Sub
a5
ent

has oxo and aryl having higher alkyl;
higher alkanoyl having hydroxy;
higher alkanoyl having ar(lower)alkyl and
hydroxy;

3-methyl-tridecenoyl; or

(C₂-C₆)alkanoyl substituted with aryl having
higher alkoxy, in which (C₂-C₆)alkanoyl may have
amino or protected amino, and
a pharmaceutically acceptable salt thereof,
which comprises

1) reacting a compound of the formula :



[II]


or its reactive derivative at the amino group or a salt
thereof, with a compound of the formula :



[III]

wherein R¹ is defined above,

or its reactive derivative at the carboxy group or a
salt thereof, to give a compound [I] of the formula :



[I]

wherein R¹ is defined above,
or a salt thereof.

5

16. A pharmaceutical composition which comprises, as an active ingredient, a compound of claim 1 or a pharmaceutically acceptable salt thereof in admixture with pharmaceutically acceptable carriers or excipients.

10

17. Use of a compound of claim 1 or a pharmaceutically acceptable salt thereof as a medicament.

18. A compound of claim 1 or a pharmaceutically acceptable salt thereof for use as a medicament.

19. A method for the prophylactic and/or the therapeutic treatment of infectious diseases caused by pathogenic microorganisms which comprises administering a compound of claim 1 or a pharmaceutically acceptable salt thereof to a human being or an animal.

20

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.